



GRASS VALLEY
A PLACE TO LIVE AND THRIVE

**CITY OF GRASS VALLEY
ENGINEERING DIVISION**

ADDENDUM NO. 1

**NOTICE TO CONTRACTORS,
SPECIAL PROVISIONS, AND
CONSTRUCTION CONTRACT**

FOR

**DOWNTOWN STREET REHABILITATION PROJECT
PROJECT NO. 24-04**

BID OPENING – THURSDAY APRIL 3, 2025, AT 3:30PM

**ALL ADDENDA MUST BE SIGNED AND RETURNED
WITH THE BIDDER'S PROPOSAL IN ORDER FOR THE
BID TO BE CONSIDERED RESPONSIVE.**

ADDENDUM NO. 1

**PROJECT: DOWNTOWN STREET REHABILITATION PROJECT
PROJECT NO. 24-04**

BID OPENING: THURSDAY APRIL 3, 2025 AT 3:30PM

REVISIONS TO SPECIAL PROVISIONS:

1. Replace the first paragraph of 10-1.43.3.1 "Mixing Machine" in its entirety with the following paragraph:

The material shall be mixed by an automatically sequenced, self-propelled microsurfacing mixing machine that will be a continuous flow mixing unit, able to accurately deliver and proportion the aggregate, emulsified asphalt, mineral filler, control setting additive, and water to a revolving multi-blade double shafted mixer and discharge the mixed product on a continuous flow basis. The machine shall have sufficient storage capacity to maintain an adequate supply to the proportioning controls. The machine shall have a hydraulically adjustable spreader box with a positive screed adjustment for yield control and a positive adjustment for the joint matcher.

2. Replace the fourth paragraph of 10-1.43.3.3 "Placement Operations" in its entirety with the following paragraph:

The microsurfacing material shall be mixed and spread using a self-propelled microsurfacing mixing machine and shall leave a uniform skid resistant application of aggregate and asphalt on the surface. The spreader box shall maintain its flexible seals in contact with the road to prevent loss of the mixture from the box. A secondary strike off shall be provided to improve the surface texture.

END OF REVISIONS

Issued By:

Bjorn P. Jones, PE
City Engineer

3/28/2025

Date

I HAVE READ AND UNDERSTAND THIS ADDENDUM

Signature

Bidder